


Provided for non-commercial research and education use.  
Not for reproduction, distribution or commercial use.



This article appeared in a journal published by Elsevier. The attached copy is furnished to the author for internal non-commercial research and education use, including for instruction at the authors institution and sharing with colleagues.

Other uses, including reproduction and distribution, or selling or licensing copies, or posting to personal, institutional or third party websites are prohibited.

In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information regarding Elsevier's archiving and manuscript policies are encouraged to visit:

<http://www.elsevier.com/copyright>



Contents lists available at ScienceDirect

## Quaternary International

journal homepage: [www.elsevier.com/locate/quaint](http://www.elsevier.com/locate/quaint)

## Corrigendum

## Corrigendum to “A gradual drowning of the southwestern Black Sea shelf: Evidence for a progressive rather than abrupt Holocene reconnection with the eastern Mediterranean Sea through the Marmara Sea Gateway” [Quaternary International, 167–168 (2007) 19–34]

Richard N. Hiscott<sup>a,\*</sup>, Ali E. Aksu<sup>a</sup>, Peta J. Mudie<sup>b</sup>, Fabienne Marret<sup>c</sup>, Teofilo Abrajano<sup>d</sup>, Michael A. Kaminski<sup>e</sup>, James Evans<sup>e</sup>, Ayşe İ. Çakiroğlu<sup>a</sup>, Doğan Yaşar<sup>f</sup>

<sup>a</sup> Department of Earth Sciences, Memorial University of Newfoundland, St. John's, NF, Canada A1B 3X5

<sup>b</sup> Geological Survey of Canada–Atlantic, P.O. Box 1006, Dartmouth, NS, Canada B2Y 4A2

<sup>c</sup> Department of Geography, The University of Liverpool, Roxby Building, Liverpool L69 7ZT, UK

<sup>d</sup> Department of Earth and Environmental Sciences, Rensselaer Polytechnic Institute, Troy, NY 12180, USA

<sup>e</sup> Department of Earth Sciences, University College London, Gower Street, London WC1E 6BT, UK

<sup>f</sup> Institute of Marine Sciences and Technology (IMST), Dokuz Eylül University, Haydar Aliyev Caddesi No.10, Inciraltı, Izmir, 35340, Turkey

On page 24, in Table 1 several species identifications listed are incorrect. We attribute this to our limited experience prior to 2006 with brackish- to fresh-water molluscs of the Black Sea and Caspian Sea. Well-illustrated recent articles (Orlova et al., 2005; Gelembiuk et al., 2006; Wesselingh, 2007), internet sites (e.g., [www.gastropods.com](http://www.gastropods.com)) and helpful advice from William Ryan (Columbia University) have allowed us to correct the errors. For six shells with radiocarbon laboratory numbers TO-11438, TO-11439, TO-11440, TO-11441, TO-11007 and TO-11443, the revised shell identifications, respectively, are: the bivalves *Monodacna pontica*, *Didacna ?praetrigonoides*, *Didacna* spp., *Dreissena rostriformis*, *D. rostriformis*, and the gastropod *Theodoxus* spp. In the description of Unit C on pages 25 and 26, references to *Parvicardium exiguum* and *Dreissena polymorpha* should be replaced by *Monodacna pontica*, *Didacna* spp., *Dreissena polymorpha* and *D. rostriformis*.

### References

- Gelembiuk, G.W., May, G.E., Eunmi Lee, C., 2006. Phylogeography and systematics of zebra mussels and related species. *Molecular Ecology* 15, 1033–1050.
- Orlova, M.I., Therriault, T.W., Antonov, P.I., ShcherbinaKh, G., 2005. Invasion ecology of quagga mussels (*Dreissena rostriformis bugensis*): a review of evolutionary and phylogenetic impacts. *Aquatic Ecology* 39, 401–418.
- Wesselingh, F.P., 2007. Long-lived lake molluscs as island faunas: a bivalve perspective. In: Renema, W. (Ed.), *Biogeography, Time, and Place: Distributions, Barriers, and Islands*. Springer, Dordrecht, The Netherlands, pp. 275–314 (Chapter 9).

DOI of original article: 10.1016/j.quaint.2006.11.007.

\* Corresponding author.

E-mail address: [rhiscott@mun.ca](mailto:rhiscott@mun.ca) (R.N. Hiscott).